

Findings and next steps

Sample draft report - not a real assessment

CLIENT / MANAGER

ArbSoul demonstration
Demonstration data
Demonstration site

INSPECTION / ASSESSOR

Demonstration only
Inspected October 27, 2026
Weather: Demonstration data

Credentials

Assessment scope and period: Level 2 Basic visual · 1 year · Level 2 basic visual assessment from ground level. Demonstration only; no site inspection was performed.

Tree 1 · Silver Maple (*Acer saccharinum*)

ArbSoul Tree ID AS-T-DEMO-001

Current risk

High risk

After recommended work Residual risk

Moderate · not yet confirmed

Residual risk is the assessor's estimate for the recommended work; it does not mean the work is complete.

What to do

Example mitigation: inspect the affected branch and plan appropriate work.

Work timing and follow-up

Recommended response

Mitigate

Work timing

Within 90 days

Status

Open

Reinspection

Reinspect in 12 months • Demonstration only.
Reassess if conditions change.

Professional judgment note: Page 2 · Assessment details: Page 2 · Site map: Page 4 · Tree 1

Assessment details

Sample draft report - not a real assessment · Tree 1 · Silver Maple (Acer saccharinum)

Site map: Page 4

Assessment summary notes

This sample demonstrates the report workflow only. It is not an assessment of a real tree or site.

Professional judgment note

Demonstration only. This matrix result is not a site-specific professional opinion.

The tree

ArbSoul Tree ID	AS-T-DEMO-001	Local tree label	Demonstration tree 1
Species	Silver Maple (Acer saccharinum)	Identification	Confirmed
DBH (diameter at breast height)	57 in	Height	90 ft
Crown	80 ft	Condition	Poor

How this was assessed

Level 2 Basic visual • Level 2 basic visual assessment from ground level. Demonstration only; no site inspection was performed.

Time frame 1 year • Target context Demonstration building, Demonstration garage, Demonstration detached structure, Demonstration utility line, Demonstration seating area

Notes and limits of this visit

Data: Preliminary • Limits: Not recorded

Demonstration data only. No site inspection was performed.

What the arborist saw

- Demonstration observation: included bark at a major union

Assessment details • continued

Sample draft report - not a real assessment • Tree 1 • Silver Maple (Acer saccharinum)

Site map: Page 4

Professional conclusion and matrix result

Final professional conclusion: High risk • Matrix result accepted

The matrix supports consistency; the qualified assessor owns the documented final conclusion.

Assessment record totals

Mapped trees 1 **Targets mapped** 5 **Zones mapped** 0 **Extreme** 0 **High** 1 **Moderate** 0 **Low** 0 **Preliminary** 1
Advanced assessment 0 **Limited inspection** 0

Risk comparison

Residual risk: Not confirmed

Low	Moderate	High	Extreme
------------	-----------------	-------------	----------------

Current risk


This compares the assessor's recorded ratings, not a new risk calculation. Residual risk is the assessor's estimate for the recommended work; it does not mean the work is complete.

Scenario 1

Tree part	Branch	Failure type	Demonstration scenario: scaffold branch failure
Target	Demonstration utility line	Target zone	Within drip line
Occupancy	Constant	Protection	None protection
Part size	Demonstration value: 30-inch-diameter branch	Fall distance	Demonstration value: 65 feet
Load	Medium	Likelihood of failure	Probable
Likelihood of impact	High	Matrix likelihood of failure and impact	Likely
Consequence	Severe	Matrix result	High risk

Site and targets

Sample draft report - not a real assessment · Tree 1 · Silver Maple (*Acer saccharinum*)



Mapped targets

1. Demonstration building

Linked target

2. Demonstration garage

Linked target

3. Demonstration detached structure

Linked target

4. Demonstration utility line

Linked target

5. Demonstration seating area

Linked target